Serial No. 10/728,891

Amendments to the Claims:

This listing of all pending claims (including withdrawn claims) will replace all prior versions, and listings, of claims in the application. Cancelled and not entered claims are indicated with claim number and status only. The claims show added text with <u>underlining</u> and deleted text with <u>strikethrough</u>. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Listing of Claims:

1. (Currently Amended) An integrated-type suction pipe module for refrigerators, comprising:

a suction pipe to define a refrigerant path between an evaporator <u>in a cooling</u> compartment of the refrigerator and a compressor, and comprising <u>in a machine room of the</u> refrigerator,

wherein said suction pipe includes a middle portion and two end portions; a foam body;

wherein said middle portion is a part embedded in the foam body to be isolated from atmosphere; and

a cover to cover the foam body and the embedded part,

wherein each end portion is an exposed part placed in a machine room which is exposed to an atmosphere, and an embedded part which is placed to be isolated from the atmosphere; and a foam body in which the embedded part is disposed extending outside of the foam body and the cover.

wherein the embedded part, foam body and cover are removably mounted only in the machine room of the refrigerator, one of the exposed parts extends to the cooling compartment of the refrigerator and the evaporator, and the other of the exposed parts extends to the compressor.

- 2. (Canceled)
- 3. (Currently Amended) The integrated-type suction pipe module for refrigerators according to claim 21, further comprising a locking part provided at a predetermined portion of the cover to removably mount the cover to a cabinet of a the refrigerator.

Serial No. 10/728,891

- 4. (Currently Amended) The integrated-type suction pipe module for refrigerators according to claim 1, further comprising a tube to cover a part of the exposed part of the suction pipe, which is connected to the evaporator.
- 5. (Original) The integrated-type suction pipe module for refrigerators according to claim 4, wherein the tube is disposed, at an end thereof, in the foam body.
- 6. (Currently Amended) The integrated-type suction pipe module for refrigerators according to claim 1, further comprising a capillary tube arranged in parallel to and continuously abutting an exterior of the embedded part of the suction pipe.
 - 7. (Original) A refrigerator, comprising:
 - a cooling compartment;
 - a machine room thermally insulated from the cooling compartment, and opened to an atmosphere;
 - an evaporator installed at a predetermined position in the cooling compartment; a compressor installed at a predetermined position in the machine room; and an integrated-type suction pipe module mounted to a predetermined portion of the machine room, and comprising:
 - a suction pipe, comprising;
 - an exposed part placed in the machine room; and an embedded part which is placed to be isolated from the atmosphere; and a foam body in which the embedded part is disposed.
- 8. (Original) The refrigerator according to claim 7, wherein the integrated-type suction pipe module further comprises a cover to cover the foam body in which the embedded part is disposed.
- 9. (Original) The refrigerator according to claim 8, further comprising a locking part provided at a predetermined portion of the cover to mount the cover to a predetermined portion of the machine room.
 - 10. (Original) The refrigerator according to claim 7, wherein the integrated-type

suction pipe module further comprises a tube to cover a part of the exposed part of the suction pipe, which is connected to the evaporator.

- 11. (Original) The refrigerator according to claim 10, wherein the tube is disposed, at an end thereof, in the foam body.
- 12. (Original) The refrigerator according to claim 7, wherein the integrated-type suction pipe module further comprises a capillary tube arranged in parallel to the suction pipe.